EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90	"5812403"	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:08
L2	144	clean$3 with fluorine and first near electrode and second near electrode and heat$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:15
L3	133	2 and plasma	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:15
L4	7	2 and plasma and electrode near4 (nickel ni)	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:16
L5	133	clean$3 with fluorine and first near electrode and second near electrode and heat$3 and plasma	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:18
L6	30	("3518108" | "4013532" | "4252848" | "4391843" | "4407852" | "4729906").PN. OR ("5244730").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:22
L7	821	clean$3 with fluorine and electrode and heater and (frequency radiofrequency)	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:23
L8	277	7 and ("118" "156")..clas.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:23
L9	277	7 and ("118" "156").clas.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/07 16:23
S1	3	(("5766364") or ("6569257") or ("6538872") or ("2001001954")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:39
S2	4	(("5766364") or ("6569257") or ("6538872") or ("20010001954")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:42
S3	1	(09/203816).APP.	USPAT; USOCR	OR	OFF	2009/03/03 18:43
S4	2	("5886863").PN. OR ("6383302").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:43
S5	62	("4159075" | "4273282" | "4962441" | "5055964" | "5280156" | "5324053" | "5413360" | "5539609").PN. OR ("5886863").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:44
S6	36	("5595606" | "5653806").PN. OR ("5766364").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:56

S7	36	("4645218" | "5155652" | "5191506" | "5280156" | "5376213" | "5460684" | "5478429" | "5527584" | "5529657" | "5581874" | "5600530" | "5606484" | "5625526" | "5665260" | "5671116" | "5737178" | "5745331" | "5818693" | "5827585" | "5858100" | "5886863" | "5886864" | "5949650" | "5958813" | "5968747" | "5978202" | "6048434" | "6072685" | "6094334").PN. OR ("6538872").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 18:59
S8	5	("5290381" | "5567267" | "5851298" | "6084215" | "6538872").PN. OR ("6838646").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 19:05
S9	1001	electrode near2 thick$4 with heat$4	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 19:10
S10	11	S9 AND ("118").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/03 19:10
S11	2653	((118/725) or (156/345.52)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/07 11:45
S12	1695	S11 and (thickness depth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 11:45
S13	288	S11 and (thickness depth).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 11:46
S14	25	("5566043").PN. OR ("5663865").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 15:20
S15	939	(361/234).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/07 16:46
S16	795	S15 and semiconductor	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 16:46
S17	589	S16 and (thickness depth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 16:47
S18	10	S16 and (thickness depth) near (heat$4)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 16:49
S19	109	S16 and (thickness depth) with (heat$4)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 16:53
S20	17	("5909354" | "5981913").PN. OR ("6120661").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 17:08
S21	496	S17 and heat$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 17:16
S22	17	("5909354" | "5981913").PN. OR ("6120661").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 17:23

S23	6463	((118/724,725,728-730) or (156/345.51-345.53)). CCLS	US-PGPUB, USPAT; USOCR	OR	OFF	2009/05/07 17:27
S24	970	S23 and heat$4 with thickness	US-PGPUB, USPAT; USOCR	OR	ON	2009/05/07 17:27
S25	121	S23 and heat$4 with thickness.clm.	US-PGPUB, USPAT; USOCR	OR	ON	2009/05/07 17:27
S26	1	("5220171").PN.	US-PGPUB, USPAT; USOCR	OR	OFF	2009/05/07 17:39
S27	44	("5093579" | "5126571"). PN. OR ("5220171") URPN.	US-PGPUB, USPAT; USOCR	OR	ON	2009/05/07 17:42
S28	184	S23 and heat$4 near2 thickness	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 17:48
S29	139	S28 not S25	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 17:49
S30	19	(US-20050211385-$ or US-20080083732-$ or US-20030161088-$ or US-20010029895-$ or US-20030183341-$ or US-20060144516-$).did. or (US-6134096-$ or US-6838646-$ or US-5663865-$ or US-5800618-$ or US-5280156-$ or US-6120661-$ or US-5344492-$ or US-5376213-$ or US-5994678-$ or US-6189482-$ or US-6646235-$ or US-6924464-$ or US-6956186-$).did.	US-PGPUB; USPAT	OR	ON	2009/05/18 10:52
S31	9	S30 and (nickel ni)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 10:52
S32	2	("5909354" | "5981913"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:10
S33	4	(("5766364") or ("6569257") or ("6538872") or ("20010001954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 11:15
S34	2	("2001/0029895").URPN.	USPAT	OR	ON	2009/09/23 13:02
S35	1	("5766364").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/23 13:12
S36	2	(("6189482") or ("6538872")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/23 13:14
S37	1	10/596544	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 13:30
S38	2	(("6538872") or ("6569257")).PN.	US-PGPUB, USPAT; USOCR	OR	OFF	2009/09/23 13:36

S39	72	("4565601" | "4567938" | "4703153" | "4778559" | "4793975" | "4797009" | "4842683" | "5231690" | "5252807" | "5280156" | "5306895" | "5343938" | "5350720" | "5431421" | "5482558" | "5516367" | "5520742" | "5522934" | "5536322" | "5556474" | "5558717" | "5589224" | "5633073" | "5656093" | "5688331" | "5705080" | "5720818" | "5730803" | "5766363" | "5775416" | "5796074" | "5800618" | "5846332" | "5935334" | "5968379" | "5994678").PN. OR ("6189482").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:21
S40	2	(("6538872") or ("6569257") or ("2001001954")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/23 14:24
S41	0	"2001001954"	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:24
S42	1	"20010001954"	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:24
S43	6593	((118/724,725,728-730) or (156/345.51-345.53)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/23 14:25
S44	10089	(heat$3) with (sheet foil tubular tube coil) same (electrode cathode anode) same (thick$3 thickness$3 depth deep girth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:27
S45	71	S43 and S44	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:27
S46	4039	(heat$3) with (sheet foil tubular tube coil) same (electrode cathode anode) with (thick$3 thickness$3 depth deep girth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:28
S47	1667	(heat$3) with (sheet foil tubular tube coil) with (thick $3 thickness$3 depth deep girth) same (electrode cathode anode) with (thick $3 thickness$3 depth deep girth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:28
S48	6108	"5" and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:28
S49	8	S47 and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:28

S50	37	("4645218" | "5155652" | "5191506" | "5280156" | "5376213" | "5460684" | "5478429" | "5527584" | "5529657" | "5581874" | "5600530" | "5606484" | "5625526" | "5665260" | "5671116" | "5737178" | "5745331" | "5818693" | "5827585" | "5858100" | "5886863" | "5886864" | "5949650" | "5958813" | "5968747" | "5978202" | "6048434" | "6072685" | "6094334").PN. OR ("6538872").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 14:37
S51	35	S50 and (thickness thick depth deep mm inches cm mil)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 15:07
S52	18	S50 and heat$3 with (thickness thick depth deep mm inches cm mil)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 15:09
S53	87	("4025997" | "4184188" | "4384918" | "4480284" | "4502094" | "4536645" | "4645218" | "4665463" | "4692836" | "4724510" | "4831212" | "4897171" | "4962441" | "4969168").PN. OR ("5155652").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 15:19
S54	28	S53 and heat$3 with (thickness thick depth deep mm inches cm mil)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 15:20
S55	1	10/596544	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 16:04
S56	1	("5766364").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/23 16:18
S57	26507	(heat$3) with (thick$3 thickness$3 depth deep girth) and (electrode cathode anode) with (thick$3 thickness$3 depth deep girth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 18:39
S58	130	S57 and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 18:39
S59	10619	(heater heating) with (thick$3 thickness$3 depth deep girth) and (electrode cathode anode) with (thick$3 thickness$3 depth deep girth)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 18:39

S60	2422	"29" and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 18:39
S61	77	S59 and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 18:39
S62	25	("5566043").PN. OR ("5663865").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 19:28
S63	115	(heater heating) near2 (thick thickness) and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 19:37
S64	23	("5034688" | "5314541" | "5397396" | "5558717" | "5591269" | "5595241" | "5635093" | "5665166" | "5904872").PN. OR ("6147334").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 19:41
S65	35	("2007111" | "2179934" | "3110795" | "4313783" | "4457359" | "4458746" | "4512391" | "4527620" | "4565601" | "4567938" | "4603466" | "4724621" | "5033538" | "5057673" | "5090900" | "5096536" | "5133284" | "5155062" | "5290381" | "5302217" | "5350479" | "5356476" | "5382311" | "5456757" | "5462603" | "5522131" | "5837555" | "5904872" | "6043468" | "6147334" | "6150636" | "6180931").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:07
S66	26	S65 and (thick thickness depth deep inches mm cm)	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:09
S67	4	("3774299" | "4091355" | "4471212" | "4783586").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:14
S68	7	("6043468").URPN.	USPAT	OR	ON	2009/09/23 20:15
S69	7	("6043468").URPN.	USPAT	OR	ON	2009/09/23 20:22
S70	4	("3774299" | "4091355" | "4471212" | "4783586").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:22
S71	8	("5033538" | "5034688" | "5099571" | "5213349" | "5651823" | "5846375" | "6053982" | "6147334").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:25

S72	14	("5151871"	"5595241"	"5716207"	"5844205"	"5850071"	"5884009"	"6035101"	"6054688"	"6062852"	"6087632"	"6147334"	"6221437"	"6276072").PN. OR ("6897411").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:28
S73	23	("5034688"	"5314541"	"5397396"	"5558717"	"5591269"	"5595241"	"5635093"	"5665166"	"5904872").PN. OR ("6147334").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:32
S74	53	("5059770"	"5126533"	"5238499"	"5343022"	"5343938"	"5397396"	"5462603"	"5482558"	"5484011"	"5516367"	"5558717"	"5589003"	"5589224"	"5595241"	"5665167"	"5675474"	"5775416"	"5796074"	"5817156"	"5844205").PN. OR ("6035101").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:32
S75	5	"6660975"	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:52
S76	38	("2007111" | "2179934" | "3110795" | "4313783" | "4457359" | "4458746" | "4512391" | "4527620" | "4565601" | "4567938" | "4603466" | "4724621" | "5033538" | "5057673" | "5090900" | "5096536" | "5133284" | "5155062" | "5290381" | "5302217" | "5350479" | "5356476" | "5382311" | "5456757" | "5462603" | "5522131" | "5837555" | "5904872" | "6043468" | "6147334" | "6150636" | "6180931").PN. OR ("6660975").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 20:53
S77	47	(heater heating) same (thick thickness thicknesses depth deep) near2 (diameter) and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 21:03
S78	28	(heater heating) near2 (diameter) same (thick thickness thicknesses depth deep) and S43	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 21:03

S79	16	US-5766364-$.DID. OR US-6569257-$.DID. OR US-6538872-$.DID. OR US-5968379-$.DID. OR US-5158644-$.DID. OR US-20010001954-$.DID. OR US-1217647-$.DID. OR EP-20020626-$.DID. OR US-1683177-$.DID. OR EP-20060726-$.DID. OR US-1331018-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/23 22:12
S80	2	((NITYALENDRA) near2 (SINGH)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 22:14
S81	2	((ROGER) near2 (CROAD)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/23 22:14

EAST Search History (Interference)

<This search history is empty>

5/7/2010 7:13:58 PM
C:\ Documents and Settings\ tnuckols\ My Documents\ EAST\ Workspaces\ 10\ 10-596544 Lack of Unity, XYZ Dimensions.wsp